

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S43	1807	parameter\$1 near2 binding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 15:23
S45	52	S44 and (parameter adj binding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 15:45
S48	1	"6314562".pn. and (parameter or binding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 15:47
S47	1	"6745384".pn. and (parameter or binding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 15:47
S46	6	("0029211"   "6185556"   "6339772").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:18
S50	1	"6185556".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:19
S49	2	"6339772".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:19
S51	2	"6185556".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:22
S52	8	"915868".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:40
S54	6	"347996".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:41

S53	3	"347998".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:41
S55	8	"347995".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:42
S56	6	"347994".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:43
S57	2	"6363371".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:37
S58	5	bind?in and bind?out	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:32
S62	143	S61 and database\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:33
S61	209	S60 and parameter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:33
S67	2	"6339772".pn. and (compil or bind or optimiz or convert or converting or convert\$5 or generat\$5 or transform\$5 or translat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 12:14
S68	1	"6363371".pn. and (compil or bind or optimiz or convert or converting or convert\$5 or generat\$5 or transform\$5 or translat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 12:16
S66	4	"915868".ap. and (compil or bind or optimiz or convert or converting or convert\$5 or generat\$5 or transform\$5 or translat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 12:50
S70	27	"5875334".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 12:51

S69	2	"5875334".pn. and (compil or bind or optimiz or convert or converting or convert\$5 or generat\$5 or transform\$5 or translat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 13:58
S72	1	"6985904".pn. and (compil or bind or optimiz or convert or converting or convert\$5 or generat\$5 or transform\$5 or translat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:02
S73	2	"6564354".pn. and (compil or bind or optimiz or convert or converting or convert\$5 or generat\$5 or transform\$5 or translat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:04
S74	2	"6567816".pn. and (compil or bind or optimiz or convert or converting or convert\$5 or generat\$5 or transform\$5 or translat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:14
S75	1	"6249783".pn. and (compil or bind or optimiz or convert or converting or convert\$5 or generat\$5 or transform\$5 or translat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:16
S76	1	"6199201".pn. and (compil or bind or optimiz or convert or converting or convert\$5 or generat\$5 or transform\$5 or translat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:20
S77	1	"6009271".pn. and (compil or bind or optimiz or convert or converting or convert\$5 or generat\$5 or transform\$5 or translat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:21
S79	2	"6567816".pn. and (increment or pointer or length or location or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:19
S80	2	"6567816".pn. and (increment or pointer or length or location or buffer or offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:45
S81	71	(location\$1 with (communication near2 buffer)) and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:46
S83	1	"176092".ap. and (communication or buffer or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:51

S86	0	"176092".ap. and calcul\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:52
S85	0	"176092".ap. and calculate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:52
S84	0	"176092".ap. and calculat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:52
S82	66	(location\$1 with (communication near2 buffer)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:55
S87	66	S82 and (locat\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:56
S88	66	S82 and (locate or locating or location or locations)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:59
S90	66	S82 and ((locate or locating or location or locations) with buffer )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:00
S89	0	S82 and ((locate or locating or location or locations) with (buffer near2 communcation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:00
S92	66	S82 and ((locate or locating or location or locations) with (communication near3 buffer) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:01
S91	66	S82 and ((locate or locating or location or locations) with (communication with buffer) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:01
S93	17	S82 and ((locate or locating or location or locations) with (communication adj buffer) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:07

S94	4	S93 and (calculat\$5 with location\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:08
S78	2	"676800".ap. and (increment or pointer or length or location or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:26
S95	3	"676800".ap. and (handle or cursor or set or stored or procedure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:37
S96	2668	(stored adj procedure\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:38
S101	0	S100 and (handle near3 cursor \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:39
S99	0	S97 and ((stored adj procedure\$1)with (handle near2 cursor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:39
S98	0	S97 and ((stored adj procedure\$1)with (handle near2 cursor\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:39
S102	4	S100 and cursor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:40
S100	29	S97 and ((stored adj procedure\$1)with handle )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:40
S105	5	"676800".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 06:09
S104	2	"5875334".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 07:12

S106	0	(sqlda with optimiz\$5) and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 07:13
S109	2	"7092931".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 07:47
S108	21	S107 and optimiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 07:47
S110	2	"20050071346" and (stor\$3 with bind?in)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:22
S114	2	"5875334".pn. and optimiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:23
S113	0	"5875334".pn. and (stor\$3 with optimiz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:23
S112	0	"5845334".pn. and optimi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:23
S111	0	"5845334".pn. and (stor\$3 with optimiz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:23
S117	0	"58753345".pn. and insert\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 06:44
S118	1	"5875334".pn. and insert\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 07:04
S119	2	"6351742".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 08:20

S120	2	"5875334".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 10:40
S59	435	host adj variable\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 10:40
S121	20	(host adj variable\$1) and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 10:41
S122	5	"676800".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/05 09:32
S123	1	"20050071346" and (conversion\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/05 09:33
S129	202	S128 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:02
S128	514	(keyword or query) with (geographic adj location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:02
S127	13	S125 and @prad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:02
S126	116	S125 and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:02
S125	358	S124 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:02
S124	982	(query with geographic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:02

S134	10	S132 and @prad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:03
S133	5	S132 and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:03
S132	23	"L16" and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:03
S131	10	S129 and @prad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:03
S130	64	S129 and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:03
S140	483	S138 and @prad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04
S139	1291	S138 and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04
S138	2342	parameter\$1 near2 binding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04
S137	1	S135 and @prad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04
S136	5	S135 and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04
S135	13	search same (disable same override)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04



S44	1432	S43 and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04
S143	64	S141 and @prad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:05
S142	173	S141 and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:05
S141	507	host adj variable\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:05
S60	331	S59 and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:05
S146	7	"5875334".uref. and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:06
S145	4	"5875334".uref. and @prad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:06
S144	7	"5875334".uref. and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:06
S71	27	"5875334".uref. and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:06
S152	64	(host adj variable\$1) and @prad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07
S151	169	(host adj variable\$1) and @rlad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07

S150	445	S148 and @prad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07
S149	1014	S148 and @rlad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07
S148	3593	(stored adj procedure\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07
S103	314	(host adj variable\$1) and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07
S97	1809	S96 and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07
S157	1	(sqlda with insert\$3 ) and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S156	1	(sqlda same insert\$3 ) and @prad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S155	7	(sqlda same insert\$3 ) and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S154	5	sqlda and @prad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S153	12	sqlda and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S116	10	(sqlda same insert\$3 ) and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08

S115	2	(sqlda with insert\$3 ) and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S107	32	sqlda and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S160	62	S150 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:09
S159	65	S151 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:09
S158	0	(sqlda with insert\$3 ) and @prad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:09
S162	16	S139 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:10
S161	65	S142 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:10
S164	5	"676800".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 15:33
S166	1	"20050071346" and (computer same readable same (medium or media))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 15:43
S165	2	"20050071346" and (carrier or wave\$1 or signal\$1 or (manufacture with article with program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 15:43
S167	2	"20030163447"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 09:51

S1	1563429	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 09:51
S163	534	(keyword or query) with (geographic adj location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 15:16
S168	3	"6401083".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 15:19
S170	5	"676800".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 15:47
S171	1	"20050071346" and (((section \$1 with number\$1) same (structure or statement)) or (section\$1 with number\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 16:09
S172	8	"272691".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 16:27
S173	8	"275896".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 16:36
S174	5	"677159".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 16:37
S147	4	"5875334".uref. and @prad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:05
S175	279	(sql and statement\$1 and (section near5 (number\$1 or index\$3 or indices or id or identification\$1 ) ) ) and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:07

S177	167	(sql and statement\$1 and (section near5 (number\$1 or index\$3 or indices or id or identification\$1 ) ) and (compar\$3 or matching) and (optimiz\$5 )) and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:09
S179	167	S177 and (section with (number\$1 or index\$3 or id\$1 or identification\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:10
S178	0	S177 and (statement with section with (number\$1 or index\$3 or id\$1 or identification\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:10
S176	256	(sql and statement\$1 and (section near5 (number\$1 or index\$3 or indices or id or identification\$1 ) ) and (compar\$3 or matching)) and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:14
S183	1	"6985904".pn. and number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:28
S182	0	"6985904".pn. and section\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:28
S181	2	"6985904".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:28
S180	8	S176 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:28
S184	24331037	(statement\$1 with section\$1 with number\$1) @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:29
S185	24330935	(statement\$1 with (section\$1 near3 number\$1)) @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:30

S187	10	S186 and sql	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:58
S189	1	"20020129035" and (section\$ near3 number\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:09
S188	2	"20020129035"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:09
S186	55	(statement\$1 with (section\$1 near3 number\$1))and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:10
S191	1127	(structure\$1 near6 (section\$1 near3 number\$1)) and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:11
S190	1127	(structure\$1 near6 (section\$1 near3 number\$1))and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:11
S194	7	((data near3 structure\$1) near6 (section\$1 near3 number\$1)) and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:12
S195	0	S192 and "707".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:14
S196	10	S192 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:15
S198	162	(structure\$1 near4 (section\$1 near2 number\$1)) and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:16
S197	232	(structure\$1 near6 (section\$1 near2 number\$1)) and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:16

S192	347	(structure\$1 near6 (section\$1 near3 number\$1)) and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:16
S199	8	"164477".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 11:09
S169	2	"6351742".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 11:09
S200	2	"20060112130" and (search \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 11:10
S202	0	"20060112130" and (user with need with rule\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 11:11
S201	0	"20060112130" and (assign\$3 with activity with rule\$!)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 11:12
S203	0	"20060112130" and (assign\$3 with activity with rule\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 12:22
S205	2	"20020129035"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 12:50
S204	2	"6985904".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 12:50
S207	2	"5875442".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 15:03
S206	2	"6567816".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 15:03

L5	11	L4 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:27
L4	2511	parameter\$1 near2 binding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:27
L7	4	L6 and (section near3 number \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:28
L6	50	(host with variable\$1) and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:28
L11	11	L10 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:30
L10	300	(sql and statement\$1 and (section near5 (number\$1 or index\$3 or indices or id or identification\$1 ) )) and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:30
L9	0	L8 and (section adj number \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:30
L8	65	(host adj variable\$1) and @prad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:30
L14	9	((sql near2 statement\$1) and (section adj (number\$1 or index\$3 or indices or id or identification\$1 ) )) and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:32
L13	10	((sql near5 statement\$1) and (section adj (number\$1 or index\$3 or indices or id or identification\$1 ) )) and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:32
L12	21	(sql and statement\$1 and (section adj (number\$1 or index\$3 or indices or id or identification\$1 ) )) and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:32



L16	1	"5875334".pn. and fetch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 15:26
L15	2	"5875334".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 15:26

5/ 8/ 2008 4:15:54 PM

C:\ Documents and Settings\dmyint\ My Documents\ EAST\ Workspaces\ 10-676-800\_\_1.wsp